

3nethra aberro

Handheld Autorefractometer

> Snethra aberro

3nethra H aberro

Handheld autorefractometer

The 3nethra aberro is a handheld autorefractometer equipped with the Shack-Hartmann wavefront sensor aberrometry technology to detect visual acuity and refractive errors. Using 3nethra aberro, single-vision and bi-focus lens refraction measurements can be recorded in just a few seconds.

FOLUS

Measurement Notes: The measurement was completed successfully.

Test ID: 41 2000/01/01

The Shack-Hartmann

Wavefront Sensor Aberrometry Technology

The Shack-Hartmann wavefront sensor aberrometry technology is used in modern autorefractometers to measure refractive errors [spherical, cylinder, and axis] that help clinicians prescribe glasses or contact lens. The advantages of this technology include small size, ruggedness, accuracy, and vibration insensitivity. The technology compares very favourably with existing conventional autorefractometers, and can precisely measure both higher and lower order wavefront aberrations. 3nethra aberro does not require periodic calibration due to the absence of any moving parts in the opto-mechanics and coupled with its portable handheld feature makes it an ideal tool for community and home eye screening programs.



Product Specifications

Parameters	Values
Spherical Measurement Range	-14D to +14D, increments (0.25D)
Cylindrical Measurement Range	-7D to 0D, increments (0.25D)
Axis Measurement Range	0 to 180 degrees, 1-degree step
Min Pupil Diameter	2.5 mm
Vertex Distance	19.5 mm
Patient Age Range	Above 5 years
Internal Fixation	Low spatial frequency sinusoidal grating with Gaussian envelope
Battery Life	8 hours usage / fully charged
Display / Connectivity	3.5" color touch screen / USB and Bluetooth
Technology	Wave-front sensing
Power Source	AC 100 to 240 V, 50 / 60 Hz
Measurement Time	<5 seconds per eye
Weight / Dimension	650 g / 8.9" X 7.2" X 2.9"
Internal Storage Memory	300 measurements
Ambient Lighting	No specific constraint
Battery Pack	Lithium ion battery 3.6V, 6800mAh
Additional Feature	Telemedicine compatible
US FDA Listing	Class 1
Optional Accessories	Bluetooth printer, portable stand



Forus Health Pvt Ltd

#2234, 23rd Cross, Banashankari 2nd Stage, Bangalore – 560 070 Karnataka, India India: +91 80 4162 4041 | 4162 4042 US: +1 510 488-6805 Email: askus@forushealth.com Web: www.forushealth.com **Forus Health Inc** 2950, Merced Street Suite 114, San Leandro CA - 94577-5635